		ا پنج کار						
Sheet	1	of 1		TRE MAG				
INFOR	ΜΔΤ	ION DISCLOSUR	F ATTY, DOCKE	TNO. ON TO	SERIA	L NO.		
		ITATION	249-426	249-426 OC 15 2001 B SERIAL NO. 10/575,261			1	
			APPLICANT	1 01.7		<u> </u>		
			IIDA ET A	L. MENTATRADENTE				
(Use several sheets if necessary)			FILING DATE	TIENO DATE				
							1653	
	=		U.S. PA	TENT DOCUMENTS				SII INO DATE
*EXAMINER I	INITIAL	DOCUMENT NUMBER	DATE	NAME		CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
			FORFION	DATENT DOGUMENT	.			
FOREIGN PATENT DOCUMENTS TRANSLATION								
		DOCUMENT	DATE	COUNTRY	CI	LASS SUI	BCLAS YES	NO
		EP 1 092 037	04/2001	Europe			<u> </u>	
		WO 03/035835	05/2003	WIPO				
		WO 00/62790	10/2000	WIPO				
		EP 1 331 266 A1		Europe				
	<u> </u>	WO 00/73481	12/2000	WIPO				
	-		-					
		THER DOCUME	NTS (includi	ng Author, Title, Date	. Perti	nent r	pages, etc	.)
	Supplementary Partial European Search Report dated August 2, 2007, issued in							
	connection with EP 04 77 3776.2							
	Gawlitzek et al, "Ammonium Alters N-Glycan Structures of Recombinant TNFR-IgG:							
	Degradative Versus Biosynthetic Mechanisms", Biotechnology and Bioengineering, June							
-	20, 2000, Vol. 68, No. 6, pp 637-646							
	Shinkawa et al, "The Absence of Fucose but Not the Presence of Galactose or Bisecting N-Acetylglucosamine of Human IgG1 Complex-type Oligosaccharides Shows the Critical							
	Role of Enhancing Antibody-dependent Cellular Cytotoxicity", The Journal of Biological							
	Chemistry, January 31, 2003. Vol. 278, No. 5, pp 3466-3473							
	Shields et al, "Lack of Fucose on Human IgG1 N-linked Oligosaccharide Improves							
:	Binding to Human Fc•RIII and Antibody-dependent Cellular Toxicity", The Journal of							
-	Biological Chemistry, July 26, 2002, Vol. 277, No. 30, pp 26733-26740 Murray et al, "Recombinant Human Tumor Necrosis Factor Receptor (p75) Fc Fusion							
	Protein (TNFR:Fc) in Rheumatoid Arthritis", The Annals of Pharmacotherapy, November							
	1997, Vol. 31, pp 1335-1338							
	Shoji-Hosaka et al, "Enhanced Fc-Dependent Cellular Cytotoxicity of Fc Fusion Proteins							
	Derived from TNF Receptor II and LFA-3 by Fucose Removal from Asn-Linked Oligosaccharides", Journal of Biochemistry, December 2006, Vol. 140, No. 6, pp 777-							
		1 -	s", Journal of	Biochemistry, Decemb	er 200	ნ, Vol	. 140, No.	6, pp 777 -
-		783						
-		1						
		1						

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Date Considered

*Examiner

Form PTO-FB-A820 (Also PTO-1449)